





General information

| Make | VOLKSWAGEN |
|---------------------|-------------------------|
| Model | BORA TRENDLINE (130BHP) |
| Colour | Black |
| Year of manufacture | - |
| Top speed | 130 mph |
| 0 - 60 mph | 9.9 seconds |
| Gearbox | 5 speed Manual |

Engine & fuel consumption

| Power | 130 BHP |
|-------------------------|---------------------|
| Max. torque | 195 Nm at 3.300 rpm |
| Cylinders | 4 |
| Fuel type | Petrol |
| Consumption city | 24.4 mpg |
| Consumption extra urban | 46.3 mpg |
| Consumption combined | 34.9 mpg |





Internet history

| Entry | 1 |
|-------|---|
| _ | |

Date

2021-10-13

Pictures

5


Listing price

View report









source: autotrader.co.uk



MOT history

| MOT #21 | | 2021-01-06 18:15 |
|--|--|----------------------|
| MOT test | number | 122022272347 |
| Result | | ✓ Passed |
| Next expi | ry date | 2022-01-05 |
| Advice | Nearside Rear Service brake binding but not excessively (1.2.1 (f)) | |
| Advice | Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e)) | |
| Advice | Offside Rear Shock absorbers has slight external damage to the casing co | rroded (5.3.2 (b)) |
| Advice Offside Front Sub-frame corroded but not seriously weakened (5.3.3 (b) (i)) | | |
| Advice Offside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c)) | | |
| Advice Nearside Rear Shock absorbers has slight external damage to the casing corroded (5.3.2 (b)) | | corroded (5.3.2 (b)) |
| Advice | Nearside Front Brake pipe corroded, covered in grease or other material (2 | 1.1.11 (c)) |





| MOT #20 | 2020-12-16 12:01 |
|--|--|
| MOT test number | 971872969956 |
| Result | 🗙 Failed |
| Advice Nearside Rear Brake pipe corroded, co | overed in grease or other material over axle on pipe (1.1.11 |
| Fail Offside Front Seat belt webbing significant | tly weakened drivers side (7.1.2 (b) (ii)) |
| Advice Nearside Front Lower Suspension arm (5.3.4 (a) (i)) | pin or bush worn but not resulting in excessive movement |
| Fail Nearside Rear Service brake excessively | pinding (1.2.1 (f)) |
| Fail Nearside Front Direction indicator incorre | ct colour (4.4.3 (a)) |
| Advice Rear clamp rusted off exhaust box | |
| Fail Nearside Brake pipe excessively corroded | front to rear at rear (1.1.11 (c)) |
| Fail Nearside Registration plate lamp inoperate | ive in the case of a single lamp or all lamps (4.7.1 (b) (ii)) |
| Fail Offside Front Brake pipe excessively correl | oded thru wing (1.1.11 (c)) |
| Fail Nearside Steering rack gaiter missing or r | no longer prevents the ingress of dirt (2.1.3 (g) (ii)) |
| Fail Nearside Obligatory mirror does not provide | de a view to the rear (3.3 (c)) |
| Advice Nearside Front Tyre worn close to lega | l limit/worn on edge (5.2.3 (e)) |
| Fail Nearside Rear Service brake lagging in op | veration (1.2.1 (d)) |
| Advice Front Sub-frame corroded but not seri | ously weakened (5.3.3 (b) (i)) |
| Fail Offside Front Direction indicator incorrect | colour (4.4.3 (a)) |
| Fail Rear Exhaust system insecure silencer (6) | 1.2 (a)) |
| Advice 2 rear shock absorber casings corrode | d |
| Fail Nearside Front Brake pipe excessively con | roded thru wing (1.1.11 (c)) |
| Fail Offside Registration plate lamp inoperative | e in the case of a single lamp or all lamps (4.7.1 (b) (ii)) |





| MOT #19 | 2019-10-21 15:21 |
|--|--------------------|
| MOT test number | 980892583370 |
| Result | 🗙 Failed |
| Fail Registration plate lamp inoperative in the case of a single lamp or all lamps all (4.7 | ′.1 (b) (ii)) |
| Fail Nearside Front Wheel bearing rough when rotated (5.1.3 (b) (i)) | |
| Fail Nearside Rear Inner Brake pipe excessively corroded (1.1.11 (c)) | |
| Advice Power steering pipe/hose slightly corroded all (2.1.5 (g) (i)) | |
| Advice Nearside Front Brake hose slightly deteriorated (1.1.12 (b) (ii)) | |
| Fail Front Sub-frame corroded and seriously weakened (5.3.3 (b) (i)) | |
| Advice Offside Front Seat belt slightly damaged (7.1.2 (b) (i)) | |
| Fail Offside Rear Outer Suspension component mounting prescribed area excessively c significantly reducing structural strength sill (5.3.6 (a) (i)) | orroded |
| Fail Offside Front Brake pipe excessively corroded (1.1.11 (c)) | |
| Fail Nearside Front Steering rack gaiter missing or no longer prevents the ingress of dir | t (2.1.3 (g) (ii)) |
| Advice Nearside Rear Outer Brake pipe corroded, covered in grease or other material (| 1.1.11 (c)) |
| Advice Offside Front Brake hose slightly deteriorated (1.1.12 (b) (ii)) | |
| Fail Nearside Rear Outer Suspension component mounting prescribed area excessively significantly reducing structural strength sill (5.3.6 (a) (i)) | corroded |
| NOT #10 | 2010 00 26 14 44 |
| MOT #18 | 2018-09-26 14:44 |

MOT test number

Result

🗸 Passed

511870671839

Minor Nearside Front Track rod end ball joint dust cover damaged or deteriorated, but preventing the ingress of dirt (2.1.3 (g) (i))

| Advice | Offside Front Brake hose slightly deteriorated (1.1.12 (b) (ii)) |
|--------|--|
| Advice | Nearside Rear Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii)) |
| Advice | Nearside Front Brake hose slightly deteriorated (1.1.12 (b) (ii)) |
| Advice | Front Sub-frame corroded but not seriously weakened (5.3.3 (b) (i)) |





| MOT # | 17 | 2017-09-27 14:19 |
|--------------------------|--|----------------------------------|
| MOT te | st number | 266270698703 |
| Result | | ✓ Passed |
| Advid | • Offside Front Seat belt stitching slightly frayed (5.2.2b) | |
| Advid | • Offside Front brake disc worn, pitted or scored, but not seriously weakened (3 | .5.1i) |
| Advid | Nearside Front brake disc worn, pitted or scored, but not seriously weakened | (3.5.1i) |
| Advid | Front Sub-frame corroded but not seriously weakened (2.4.G.1) | |
| | | |
| | | |
| MOT # | 16 | 2017-09-26 14:21 |
| | 16 st number | 2017-09-26 14:21 503350006583 |
| | | |
| MOT te | | 503350006583 |
| MOT te Result | offside Headlamp aim beam image obviously incorrect (1.8.A.1b) | 503350006583 🗙 Failed |
| MOT te Result Fail | Offside Headlamp aim beam image obviously incorrect (1.8.A.1b) Offside Front brake disc worn, pitted or scored, but not seriously weakened (3 | 503350006583 🗙 Failed |

Fail Nearside Headlamp aim beam image obviously incorrect (1.8.A.1b)

Advice Nearside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)

Advice Front Sub-frame corroded but not seriously weakened (2.4.G.1)

FailNearside Registration plate lamp not working (1.1.C.1d)

FailOffside Rear Brake pipe excessively corroded (3.6.B.2c)

| MOT #15 | 2016-10-04 10:52 |
|-----------------|------------------|
| MOT test number | 693954031024 |
| Result | ✓ Passed |





| MOT #14 | 2016-10-04 09:28 |
|---|------------------|
| MOT test number | 555950857047 |
| Result | 🗙 Failed |
| Fail Offside Headlamp aim too low (1.8) | |
| Fail Offside Track rod end ball joint has excessive play (2.2.B.1f) | |

| MOT #13 | 2015-10-08 11:29 |
|-----------------|------------------|
| MOT test number | 965585246116 |
| Result | ✓ Passed |

| MOT #12 | 2015-10-08 09:40 |
|-----------------|------------------|
| MOT test number | 487654938046 |
| Result | 🗙 Failed |

Nearside Front Suspension arm rubber bush bonding deteriorated resulting in excessive movement Fail rear bush (2.4.G.2)

| MOT #11 | | 2014-10-03 15:25 |
|------------|--|--------------------|
| MOT test r | number | 817346174272 |
| Result | | ✓ Passed |
| Advice | Suspension arm rubber mounting deteriorated but not resulting in excessive | movement (2.4.G.2) |

| MOT #10 | 2014-10-03 15:25 | |
|--|---|--|
| MOT test number | 305196474274 | |
| Result | × Failed | |
| Pass with rectification | Nearside Stop lamp not working (1.2.1b) | |
| Advice Suspension arm rubber mounting deteriorated but not resulting in excessive movement (2.4.G.2) | | |
| Pass with rectification | Rear registration plate deteriorated (6.3.1d) | |





| MOT #9 | 2013-10-15 09:24 |
|--|------------------|
| MOT test number | 387608683470 |
| Result | ✓ Passed |
| Advice Rear registration plate deteriorated but not likely to be misread (6.3.1d) | |
| MOT #8 | 2013-10-14 14:06 |
| MOT test number | 405977883285 |
| Result | 🗙 Failed |
| Fail Offside rear brake binding (3.7.B.1) | |
| Fail Offside rear parking brake recording little or no effort (3.7.B.6a) | |
| Fail Parking brake: efficiency below requirements (3.7.B.7) | |
| Advice Rear registration plate deteriorated but not likely to be misread (6.3.1d) | |

| MOT #7 | 2012-09-26 13:45 |
|-----------------|------------------|
| MOT test number | 639130172239 |
| Result | ✓ Passed |

| МОТ #6 | 2011-10-14 10:24 |
|-----------------|------------------|
| MOT test number | 255117581250 |
| Result | ✓ Passed |

| MOT #5 | 2010-10-15 16:16 |
|-----------------|------------------|
| MOT test number | 260608380285 |
| Result | ✓ Passed |

| MOT #4 | 2009-10-15 15:44 |
|-----------------|------------------|
| MOT test number | 364988289212 |
| Result | ✓ Passed |





| МОТ #3 | 2008-10-16 14:38 |
|---|---------------------------|
| MOT test number | 312980298497 |
| Result | ✓ Passed |
| | |
| MOT #2 | 2008-10-16 12:21 |
| MOT test number | 213460798288 |
| Result | 🗙 Failed |
| Fail Offside Front Tyre has a cut in excess of the requirements deep enough (4.1.D.1a) | to reach the ply or cords |
| Fail Offside Rear Brake pad(s) less than 1.5 mm thick (3.5.1g) | |
| MOT #1 | 2007-10-16 12:27 |

| | 2007 10 10 12.27 |
|-----------------|------------------|
| MOT test number | 220049287268 |
| Result | ✓ Passed |





Damage history

Check the damage history for this VOLKSWAGEN. See if, where and when this VOLKSWAGEN had damage and the car repair costs. We also check if this VOLKSWAGEN was scrapped. Download the premium report <u>here</u> for the results.

| Damage 1 | |
|----------|--------|
| Date | FETTOR |
| Category | Lamp |
| Туре | |
| Damage 2 | AMPLE |
| Date | |
| Date | OLE . |
| Category | AM |
| Туре | |

Extra VOLKSWAGEN salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.

More info >





Vehicle valuation

What is this car worth? See the vehicle value of this VOLKSWAGEN in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

| Trade retail value | 4.11.111 |
|-----------------------------|----------|
| Auction value | 4 10.000 |
| Average private trade value | 4 = |

More info \rightarrow





Owner history

For how long did the current and previous owner(s) have this VOLKSWAGEN? How many owners did this VOLKSWAGEN have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

| *********** | |
|--|-------------|
| ********* | |
| | |
| | |
| ********** | |
| NUMBER OF CONTRACTOR OF CONTRA | |
| | |
| | More info > |
| Plate changes | |
| See in this check if this VOLKSWAGEN had different number plates. | |
| Number of plates | |
| Current registration | |
| Plate since | |
| Current registration | |
| Reds sizes | |
| | |





Finance check

Check if this VOLKSWAGEN is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this VOLKSWAGEN has been settled.

If not, and you buy this VOLKSWAGEN then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this VOLKSWAGEN is financed.

| Finance company | |
|-------------------|--|
| Date of agreement | |
| Agreement type | |
| Agreement term | |
| Agreement number | |
| Contact info | |

More info \rightarrow





Mileage check

| Odometer | In miles |
|----------------------------|-----------------|
| Mileage registrations | 22 |
| First mileage registration | 2004-10-11 |
| Last registration | 2021-01-06 |
| Complete history | <u>See info</u> |



| Registration #1 | 2004-10-11 | 14 mi |
|------------------|------------|------------|
| Registration #2 | 2007-10-16 | 49.239 mi |
| Registration #3 | 2008-10-16 | 58.957 mi |
| Registration #4 | 2008-10-16 | 58.957 mi |
| Registration #5 | 2009-10-15 | 66.856 mi |
| Registration #6 | 2010-10-15 | 75.054 mi |
| Registration #7 | 2011-10-14 | 82.672 mi |
| Registration #8 | 2012-09-26 | 90.609 mi |
| Registration #9 | 2013-10-14 | 97.617 mi |
| Registration #10 | 2013-10-15 | 97.627 mi |
| Registration #11 | 2014-10-03 | 102.676 mi |
| Registration #12 | | 11.777 esi |
| Registration #13 | | 11.777 esi |
| Registration #14 | | 11.777 esi |
| Registration #15 | | 11.777 esi |
| Registration #16 | | 11.777 esi |
| Registration #17 | | 11.777 mi |
| Registration #18 | | 11.777 esi |
| Registration #19 | | 11.777 est |
| Registration #20 | | 11.117 est |
| Registration #21 | | 11.777 esi |
| Registration #22 | | 11.777 est |

More info \rightarrow





Car features

| S0225 | Air conditioning |
|-------|------------------|
| S0295 | |
| S0482 | |
| S0501 | |
| S0566 | |
| S0567 | |
| S0569 | |

Safety ratings

NCAP rating

Video

see crash video



| Dimensions & weight | |
|------------------------|-----------------------|
| Width | 1746 mm |
| Height | 1462 mm |
| Length | 4703 mm |
| Wheel base | 2703 mm |
| Kerb weight | 1530 kg |
| Max. allowed weight | 1930 kg |
| Additional information | |
| Fuel tank capacity | 62 I |
| Fuel delivery | Multi-Point Injection |
| Number of doors | 4 |

| Number of seats | 5 |
|-----------------|------------|
| Number of axles | 2 |
| Engine number | ALT 191135 |