





#### General information Make RENAULT Model GRAND ESPACE GRAND INITIALE DCI (180BHP) Colour Blue Year of manufacture \_ **Top speed** 127 mph 0 - 60 mph 10.8 seconds Gearbox 6 speed automatic

### Engine & fuel consumption


Power	185 BHP
Max. torque	400 Nm at 1.800 rpm
Cylinders	4
Fuel type	Diesel
Consumption city	22.4 mpg
Consumption extra urban	36.7 mpg
Consumption combined	29.7 mpg






# Internet history

Entry 1	
Date	2021-09-02
Pictures	21
Listing price	<u>View report</u>









source: cargurus.co.uk



# MOT history

MOT #25		2021-10-06 14:14
MOT test	number	935062098491
Result		✓ Passed
Next expi	ry date	2022-10-30
Advice	Offside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))	
Advice	Nearside Front Shock absorbers has light misting of oil (5.3.2 (b))	
Advice	Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))	
Advice	Nearside Rear Brake pipe corroded, covered in grease or other material (1.1.11	(c))
Advice	Front Play in steering rack inner joint(s) Both sides	

MOT #24		2020-10-28 14:01
MOT test	number	793371826703
Result		✓ Passed
Advice	Nearside Front Brake pipe corroded, covered in grease or other material (1.1.11 (	z))
Advice	Nearside Rear Tyre worn close to legal limit/worn on edge cracking (5.2.3 (e))	
Advice	Offside Rear Wheel bearing has slight play (5.1.3 (a) (i))	
Advice	Play in steering rack inner joint(s)	
Advice	Nearside Front Shock absorbers light misting of oil or has limited damping effect (	5.3.2 (b))
Advice	Offside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))	)





MOT #23	2020-10-28 14:0
MOT test number	69886270319
Result	× Failed
Advice Nearside Front	hock absorbers light misting of oil or has limited damping effect (5.3.2 (b))
Advice Play in steering	rack inner joint(s)
Advice Offside Front Br	ake pipe corroded, covered in grease or other material (1.1.11 (c))
Pass with rectification	Registration plate lamp inoperative in the case of a single lamp or all lamps
(4.7.1 (b) (ii))	
Advice Nearside Rear T	yre worn close to legal limit/worn on edge cracking (5.2.3 (e))
Advice Nearside Front	rake pipe corroded, covered in grease or other material (1.1.11 (c))
Advice Offside Rear Wh	eel bearing has slight play (5.1.3 (a) (i))

MOT #22	2019-10-24 12:47
MOT test number	647720096508
Result	✓ Passed
Advice Offside Front Track rod end ball joint has slight play (2.1.3 (b) (i))	





MOT #21	2019-10-23 08:42
MOT test number	954679913049
Result	🗙 Failed
<b>MAJOR</b> Offside Front Anti-roll bar linkage ball joint dust cover no longer prevents the i link (5.3.4 (b) (ii))	ngress of dirt drop
<b>MAJOR</b> Nearside Front Track rod end ball joint has excessive play (2.1.3 (b) (i))	
Advice Nearside Rear Wheel bearing slightly noisy (5.1.3 (b) (i))	
<b>DANGEROUS</b> Offside Front Inner Tyre tread depth below requirements of 1.6mm 225	/55/17 (5.2.3 (e))
<b>MAJOR</b> Nearside Front Anti-roll bar linkage ball joint dust cover no longer prevents the link (5.3.4 (b) (ii))	e ingress of dirt drop
<b>MAJOR</b> Offside Front Suspension arm ball joint excessively worn (5.3.4 (a) (i))	
Advice Offside Front Track rod end ball joint has slight play (2.1.3 (b) (i))	
<b>DANGEROUS</b> Nearside Front Inner Tyre tread depth below requirements of 1.6mm 22	25/55/17 (5.2.3 (e))
<b>MAJOR</b> Offside Front Coil spring fractured or broken (5.3.1 (b) (i))	

MOT #20		2018-10-19 13:45
MOT test number		597567717222
Result		✓ Passed
MOT #19		2017-10-12 12:04
MOT test number		238894233707
Result		✓ Passed
MOT #18		2017-10-12 12:04
MOT test number		922528209997
Result		× Failed
Pass with rectification	Nearside Stop lamp not working (1.2.1b)	





MOT #17	2016-10-31 08:18
MOT test number	416703160150
Result	✓ Passed
Advice Slight play in the steering rack	
MOT #16	2016-10-20 14:11
MOT test number	295939563829
Result	🗙 Failed
Fail Centre Stop lamp not working (1.2.1b)	
Advice Slight play in the steering rack	
Fail Nearside Front Headlamp levelling device obviously defective device linkage broke	en (1.7.2)
Advice Offside Front tyre inner edge bald	
Fail Offside Track rod end ball joint has excessive play (2.2.B.1f)	
Advice Nearside Front tyre inner edge bald	
MOT #15	2015-10-28 17:46

**MOT test number** 

Result

428092788624



HT05NNV report date: 2024-03-29

MOT #14	2015-10-27 11:08
MOT test number	242052570319
Result	🗙 Failed
Fail Offside Headlamp aim too low (1.8)	
Advice Offside Front tyre inner edge worn, close to showing cords	
Fail Nearside Rear coil spring broken (2.4.C.1a)	
Advice Nearside Front tyre inner edge worn, close to showing cords	
Advice Front brake disc worn, pitted or scored, but not seriously weakened both in	nner faces (3.5.1i)
Advice Offside Rear brake slight bind	

MOT #13	2013-	11-05 16:22
MOT test	number 919	9449903385
Result		✓ Passed
Advice	Nearside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)	
Notice	O/s/r hand brake binding slightly	
Advice	Offside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)	

MOT #12	2013-11-05 13:59
MOT test number	909029603329
Result	🗙 Failed
Notice O/s/r hand brake binding slightly	
<b>Fail</b> Offside Front Track rod end ball joint has excessive play (2.2.B.1f)	
Advice Nearside Front Track rod end ball joint has slight play (2.2.B.1f)	



HT05NNV report date: 2024-03-29

MOT #11	2013-10-28 10:12
MOT test number	228411303392
Result	🗙 Failed
Fail Nearside Rear coil spring broken (2.4.C.1a)	
Advice Nearside Front brake disc worn, pitted or scored, but not seriously weakened (3.5	.1i)
Advice Offside Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.1i	)
<b>Notice</b> Slight cut in n/s/r tyre.	
Fail Anti-lock braking system warning lamp indicates an ABS fault (3.4.1c)	
FailOffside rear brake binding (3.7.B.1)	
FailOffside Rear Brake pad(s) less than 1.5 mm thick (3.5.1g)	
Advice Offside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1	i)
Notice N/s/r tyre on 3mms.	
<b>Notice</b> Play in steering rack inner joint(s)	
<b>Notice</b> N/s/f tyre on 2.5.mms.	
Fail Offside Front Track rod end ball joint has excessive play (2.2.B.1f)	



HT05NNV report date: 2024-03-29

MOT #10	2013-09-30 10:12
MOT test number	358023773242
Result	🗙 Failed
Advice Offside Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.3	1i)
Fail Offside Headlamp aim too low (1.8)	
Advice Offside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.	1i)
Fail Offside Track rod end ball joint has excessive play (2.2.B.1f)	
FailRear coil spring broken (2.4.C.1a)	
Fail Nearside Rear Tyre tread depth below requirements of 1.6mm (4.1.E.1)	
Advice Rear Brake pad(s) wearing thin (3.5.1g)	
Fail Anti-lock braking system warning lamp indicates an ABS fault (3.4.1c)	
<b>Advice</b> Nearside Front brake disc worn, pitted or scored, but not seriously weakened (3.	5.1i)
Fail Offside Rear Mechanical brake component has restricted free movement (3.5.1k)	
Fail Nearside Track rod end ball joint has excessive play (2.2.B.1f)	
Fail Nearside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)	
Fail Nearside Front Headlamp levelling device obviously defective (1.7.2)	
Fail Offside Rear Tyre tread depth below requirements of 1.6mm (4.1.E.1)	

MOT #9	2012-09-20 09:46
MOT test number	679194262211
Result	✓ Passed
MOT #9	2011 00 21 17.21

MOT #8	2011-09-21 17:21
MOT test number	567334961297
Result	✓ Passed





MOT #7	2011-09-21 10:44
MOT test number	778024161208
Result	🗙 Failed
Fail Nearside Front Lower Suspension arm has excessive play in a ball joint (2.4.G.2)	
MOT #6	2010-09-22 17:14
MOT test number	340785160239
Result	✓ Passed
MOT #5	2010-09-22 10:36
MOT test number	931525060269
Result	🗙 Failed
Fail Offside Front Track rod end ball joint has excessive play (2.2.B.1f)	
MOT #4	2009-08-03 15:47
MOT test number	580905619221
Result	✓ Passed
Notice Child seat fitted not allowing full inspection of adult belt	
Advice Rear Brake pad(s) wearing thin (3.5.1g)	

MOT #3	2009-08-03 11:12
MOT test number	290745719231
Result	🗙 Failed
Advice Rear Brake pad(s) wearing thin (3.5.1g)	
Fail Nearside Rear Direction indicator incorrect colour (1.4.A.2f)	
Fail Offside Front Lower Ball joint has excessive play (2.2.B.1f)	
<b>Notice</b> Child seat fitted not allowing full inspection of adult belt	
Fail Offside Rear Direction indicator incorrect colour (1.4.A.2f)	





MOT #2	2008-07-23 12:35
MOT test number	183775708200
Result	✓ Passed
MOT #1	2008-07-23 10:47
MOT test number	624345008231
Result	× Failed
<b>Fail</b> Offside Front Brake pad(s) less than 1.5 mm thick (3.5.1g)	
Fail Nearside Front Brake pad(s) less than 1.5 mm thick (3.5.1g)	
Fail Centre Rear Stop lamp not working (1.2.1b)	





#### Damage history

Check the damage history for this RENAULT. See if, where and when this RENAULT had damage and the car repair costs. We also check if this RENAULT was scrapped. Download the premium report <u>here</u> for the results.

Damage 1	
Date	FERRE
Category	Lamp
Туре	
Damage 2	AMPLE
Damaye 2	e cut of
Date	St Contraction
Category	AMP
Туре	

#### Extra RENAULT salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.





#### Vehicle valuation

What is this car worth? See the vehicle value of this RENAULT in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	4.00.000
Auction value	4 10.000
Average private trade value	4 10.200





### Owner history

For how long did the current and previous owner(s) have this RENAULT? How many owners did this RENAULT have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

and the second	
***********	
********	
*******	
*********	
********	
	More info >
Plate changes	
See in this check if this RENAULT had different number plates.	
Number of plates	,
Carrent registration	
Plate since	
Carrent registration	
Plata since	





#### Finance check

Check if this RENAULT is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this RENAULT has been settled.

If not, and you buy this RENAULT then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this RENAULT is financed.


Finance company	
Date of agreement	
Agreement type	
Agreement term	
Agreement number	
Contact info	





# Mileage check

Odometer	In miles
Mileage registrations	27
First mileage registration	2005-07-14
Last registration	2021-10-06
Complete history	<u>See info</u>



Registration #1	2005-07-14	7 mi
Registration #2	2008-07-23	27.541 mi
Registration #3	2008-07-23	27.541 mi
Registration #4	2009-08-03	34.588 mi
Registration #5	2009-08-03	34.588 mi
Registration #6	2010-09-22	42.675 mi
Registration #7	2010-09-22	42.675 mi
Registration #8	2011-09-21	49.472 mi
Registration #9	2011-09-21	49.472 mi
Registration #10	2012-09-20	55.291 mi
Registration #11	2013-09-30	60.397 mi
Registration #12	2013-10-28	60.623 mi
Registration #13	2013-11-05	60.709 mi
Registration #14	2013-11-05	60.709 mi
Registration #15		11.777 esi
Registration #16		11.117 est
Registration #17		11.117 esi
Registration #18		11.777 est
Registration #19		11.777 esi
Registration #20		11.177 esi
Registration #21		11.777 esi
Registration #22		11.117 esi
Registration #23		11.777 esi
Registration #24		11.117 est
Registration #25		11.777 mi
Registration #26		11.117 est
CarCheck.co.uk		page 16/17





### Car features

S0225	Air conditioning
S0295	
S0482	
S0501	
S0566	
S0567	
S0569	

# Safety ratings

**NCAP** rating

Video

\*\*\*\* see crash video



Dimensions & weight	
Width	1860 mm
Height	1746 mm
Length	4861 mm
Wheel base	2868 mm
Kerb weight	1890 kg
Max. allowed weight	2705 kg
Additional information	
Fuel tank capacity	83
Fuel delivery	Direct Injection
Number of doors	5
Number of seats CarCheck.co.uk	7 page 17/17

Number of axles	2
Engine number	W058651