



W335SLC

report date: 2024-03-29

General information

Make	FORD
Model	ESCORT 55
Colour	Red
Year of manufacture	2000
Gearbox	5 speed Manual

Engine & fuel consumption

Power	59 BHP
Max. torque	110 Nm at 2.500 rpm
Engine capacity	1.753 cc
Cylinders	4
Fuel type	Diesel



LABEL UNKNOWN



MOT history

MOT expiry date	2021-03-31
MOT pass rate	58 %
MOT passed	14
Failed MOT tests	10
Total advice items	80
Total items failed	31

MOT #24 2020-04-01 15:02

MOT test number 815296998744

Result ✓ Passed

Next expiry date 2021-03-31

Advice Oil leak, but not excessive (8.4.1 (a) (i))

Minor Offside Front Outer Drive shaft joint constant velocity boot severely deteriorated (6.1.7 (g) (i))

Minor Speedometer not sufficiently illuminated (7.8 (c) (i))

Advice Nearside Rear Tyre worn close to legal limit/worn on edge badly worn on inner and outer secondary tread (5.2.3 (e))

Advice Nearside Front Direction indicator slightly discoloured (4.4.3 (a))

Minor Nearside Front Outer Drive shaft joint constant velocity boot severely deteriorated (6.1.7 (g) (i))

Minor Nearside Obligatory mirror slightly damaged (3.3 (b) (i))

**MOT #23**

2020-03-24 10:38

MOT test number

479437489081

Result**✗ Failed**

Advice Nearside Rear Tyre worn close to legal limit/worn on edge badly worn on inner and outer secondary tread (5.2.3 (e))

Minor Speedometer not sufficiently illuminated (7.8 (c) (i))

Fail Nearside Rear Suspension component mounting prescribed area excessively corroded significantly reducing structural strength near shock absorber top mount (5.3.6 (a) (i))

Advice Oil leak, but not excessive (8.4.1 (a) (i))

Minor Nearside Front Outer Drive shaft joint constant velocity boot severely deteriorated (6.1.7 (g) (i))

Fail Offside Rear Service brake lagging in operation (1.2.1 (d))

Minor Nearside Obligatory mirror slightly damaged (3.3 (b) (i))

Fail Fuel system component leaking pump area (6.1.3 (b) (i))

Fail Brake load sensing valve linkage defective and function impaired seized (1.1.17 (a))

Advice Nearside Front Direction indicator slightly discoloured (4.4.3 (a))

Minor Offside Front Outer Drive shaft joint constant velocity boot severely deteriorated (6.1.7 (g) (i))

MOT #22

2019-03-28 16:17

MOT test number

636645461829

Result**✓ Passed**

Advice Nearside Front Direction indicator slightly discoloured (4.4.3 (a))

Minor Nearside Front Outer Drive shaft joint constant velocity boot severely deteriorated (6.1.7 (g) (i))

Advice Nearside Rear Leaf spring anchor bracket corroded but not seriously weakened (5.3.1 (b) (i))

Minor Offside Front Outer Drive shaft joint constant velocity boot severely deteriorated (6.1.7 (g) (i))

Advice Oil leak, but not excessive (8.4.1 (a) (i))

Advice Windscreen wiper borderline pass

**MOT #21**

2019-03-28 09:52

MOT test number

407555703637

Result**✗ Failed**

- Fail** Fuel pipe leaking injector return pipe (6.1.3 (b) (i))
- Minor** Nearside Front Outer Drive shaft joint constant velocity boot severely deteriorated (6.1.7 (g) (i))
- Advice** Oil leak, but not excessive (8.4.1 (a) (i))
- Advice** Nearside Front Direction indicator slightly discoloured (4.4.3 (a))
- Advice** Windscreen wiper borderline pass
- Fail** Offside Rear Tyre tread depth below requirements of 1.6mm inner edge (5.2.3 (e))
- Fail** Nearside Seat belt anchorage prescribed area strength or continuity significantly reduced outer sill (7.1.1 (a) (i))
- Minor** Offside Front Outer Drive shaft joint constant velocity boot severely deteriorated (6.1.7 (g) (i))
- Advice** Nearside Rear Leaf spring anchor bracket corroded but not seriously weakened (5.3.1 (b) (i))

MOT #20

2018-04-04 08:54

MOT test number

575745074802

Result**✓ Passed**

- Advice** Brake compensator slightly damp
- Advice** Nearside non oblictory mirror damaged
- Advice** Offside Rear tyre worn on inner secondary tread
- Advice** Offside Front Outer Front constant velocity joint gaiter deteriorated, but preventing the ingress of dirt (2.5.C.1a)
- Advice** Nearside Rear shocker absorber weak
- Advice** Nearside Rear tyre worn on outer secondary tread
- Advice** Nearside Front Outer Front constant velocity joint gaiter deteriorated, but preventing the ingress of dirt (2.5.C.1a)
- Advice** Windscreen wipers borderline pass
- Advice** Nearside Front Direction indicator slightly discoloured (1.4.A.2f)

**MOT #19**

2017-03-02 15:38

MOT test number

803623403429

Result

✓ Passed

- Advice** Oil leak
- Advice** Vehicles internal headlight adjuster altered to recheck lights
- Advice** General corrosion to underside of vehicle not excessive at present
- Advice** Nearside Obligatory mirror damaged, but not seriously affecting the rear view (8.1.2a)
- Advice** Nearside Front Direction indicator slightly discoloured (1.4.A.2f)

MOT #18

2017-03-02 10:54

MOT test number

783541027357

Result

✗ Failed

- Pass with rectification** Offside Headlamp aim too high and too far to the right. (1.8)
- Fail** Nearside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)
- Advice** Oil leak
- Advice** Vehicles internal headlight adjuster altered to recheck lights
- Pass with rectification** Nearside Headlamp aim too high (1.8)
- Advice** Nearside Obligatory mirror damaged, but not seriously affecting the rear view (8.1.2a)
- Advice** Offside Front Tyre worn close to the legal limit (4.1.E.1)
- Advice** Nearside Front Direction indicator slightly discoloured (1.4.A.2f)
- Advice** General corrosion to underside of vehicle not excessive at present
- Fail** Windscreen wiper does not clear the windscreen effectively both (8.2.2)

**MOT #17**

2016-03-17 13:00

MOT test number

100184471174

Result

✓ Passed

Advice General corrosion to underside of vehicle not excessive at present**Advice** Oil leak**Advice** N/s non obliictory mirror damaged**Advice** Nearside Rear Shock absorber has a light misting of oil (2.7.3)**Advice** Both front tyres wearing on inner edge**Advice** Coolant low**MOT #16**

2016-03-16 15:15

MOT test number

373982540652

Result

✗ Failed

Fail Windscreen wiper does not clear the windscreen effectively both (8.2.2)**Advice** General corrosion to underside of vehicle not excessive at present**Fail** Nearside Rear Suspension spring mounting prescribed area is excessively corroded outer sill (2.4.A.3)**Advice** Coolant low**Fail** Offside Rear Shock absorber has a serious fluid leak (2.7.3)**Advice** N/s non obliictory mirror damaged**Fail** Nearside Headlamp aim aimed so that it dazzles other road users (1.8.A.1a)**Advice** Both front tyres wearing on inner edge**Pass with rectification** Brake load sensing valve seized (3.6.E.3)**Advice** Oil leak**Advice** Nearside Rear Shock absorber has a light misting of oil (2.7.3)



MOT #15 2015-03-23 09:37

MOT test number 539752485064

Result ✓ Passed

- Notice** Oil leak
- Advice** Brake load sensing valve stiff (3.6.E.3)
- Notice** Both windscreen wipers borderline pass
- Advice** Nearside Front Lower Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)
- Notice** Non obligatory mirror damaged
- Notice** Vehicle's internal headlight adjuster altered to recheck lights
- Advice** Nearside Front Direction indicator slightly discoloured (1.4.A.2f)
- Advice** Offside Front Lower Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)

MOT #14 2015-03-23 09:37

MOT test number 638922485094

Result ✗ Failed

- Notice** Both windscreen wipers borderline pass
- Advice** Nearside Front Lower Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)
- Notice** Non obligatory mirror damaged
- Pass with rectification** Offside Headlamp aim too low (1.8)
- Notice** Vehicle's internal headlight adjuster altered to recheck lights
- Advice** Nearside Front Direction indicator slightly discoloured (1.4.A.2f)
- Advice** Offside Front Lower Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)
- Pass with rectification** Nearside Headlamp aim too low (1.8)
- Notice** Oil leak
- Advice** Brake load sensing valve stiff (3.6.E.3)



MOT #13	2014-03-25 15:00
----------------	------------------

MOT test number	256164184025
------------------------	--------------

Result	✓ Passed
---------------	----------

MOT #12	2013-01-04 11:29
----------------	------------------

MOT test number	237604903060
------------------------	--------------

Result	✓ Passed
---------------	----------

MOT #11	2013-01-04 11:29
----------------	------------------

MOT test number	686764003077
------------------------	--------------

Result	✗ Failed
---------------	----------

Pass with rectification	Offside Stop lamp adversely affected by the operation of another lamp (1.2.1f)
--------------------------------	--

MOT #10	2011-12-23 09:01
----------------	------------------

MOT test number	135707951378
------------------------	--------------

Result	✓ Passed
---------------	----------

MOT #9	2011-12-23 09:01
---------------	------------------

MOT test number	928907651348
------------------------	--------------

Result	✗ Failed
---------------	----------

Pass with rectification	Nearside Stop lamp not working (1.2.1b)
--------------------------------	---

MOT #8	2010-10-15 10:05
---------------	------------------

MOT test number	381408880222
------------------------	--------------

Result	✓ Passed
---------------	----------

**MOT #7** 2010-10-15 10:05**MOT test number** 163628480271**Result** ✗ Failed**Pass with rectification** Offside Rear position lamp(s) not working (1.1.A.3b)**Pass with rectification** Nearside Stop lamp not working (1.2.1b)**Pass with rectification** Brake load sensing valve linkage seized (3.6.E.3)**Pass with rectification** Nearside Rear position lamp(s) not working (1.1.A.3b)**Pass with rectification** Offside Stop lamp not working (1.2.1b)**MOT #6** 2009-09-17 11:44**MOT test number** 760540069292**Result** ✓ Passed**Advice** Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)**Advice** Front Brake pad(s) wearing thin (3.5.1g)**MOT #5** 2008-09-09 11:47**MOT test number** 290023258243**Result** ✓ Passed**MOT #4** 2007-09-13 17:34**MOT test number** 161716857251**Result** ✗ Failed**Pass with rectification** Nearside Front Windscreen wiper does not clear the windscreen effectively (8.2.2)**Pass with rectification** Offside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)**Pass with rectification** Offside Front Windscreen wiper does not clear the windscreen effectively (8.2.2)**Advice** Nearside Front Tyre worn close to the legal limit (4.1.E.1)



MOT #3	2007-09-13 17:34
MOT test number	211606857282
Result	✓ Passed
Advice	Nearside Front Tyre worn close to the legal limit (4.1.E.1)

MOT #2	2006-09-07 16:27
MOT test number	894960456243
Result	✓ Passed
Advice	Nearside Front Direction indicator slightly discoloured (1.4.A.2f)

MOT #1	2006-09-07 16:27
MOT test number	220070456262
Result	✗ Failed
Advice	Nearside Front Direction indicator slightly discoloured (1.4.A.2f)
Pass with rectification	Nearside Registration plate lamp not working (1.1.5c)
Pass with rectification	Offside Headlamp aim too low (1.8)
Pass with rectification	Nearside Headlamp aim too low (1.8)



Damage history

Check the damage history for this FORD. See if, where and when this FORD had damage and the car repair costs. We also check if this FORD was scrapped. Download the premium report [here](#) for the results.

Damage 1

Date	
Category	
Type	

Damage 2

Date	
Category	
Type	



Extra FORD salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

More info >



Owner history

For how long did the current and previous owner(s) have this FORD? How many owners did this FORD have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

Owner	From	To
Owner	From	To
Owner	From	To
Owner	From	To
Owner	From	To
Owner	From	To
Owner	From	To

More info >

Plate changes

See in this check if this FORD had different number plates.

Number of plates	1
Current registration	W335SLC
Plate since	2024-03-29
Current registration	W335SLC
Plate since	2024-03-29

More info >



Finance check

Check if this FORD is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this FORD has been settled.

If not, and you buy this FORD then you could lose the money and the car you paid for.

Download the premium report [here](#) and check if this FORD is financed.

Finance company	XXXXXXXXXX	XXXX
Date of agreement	XXXXXXXXXX	XXXX
Agreement type	XXXXXXXXXX	XXXX
Agreement term	XXXXXXXXXX	XXXX
Agreement number	XXXXXXXXXX	XXXX
Contact info	XXXXXXXXXX	XXXX

More info >



Mileage check

Odometer	In miles
Mileage registrations	19
First mileage registration	2000-05-24
Last registration	2020-04-01
Complete history	See info



Registration #1	2000-05-24	29 mi
Registration #2	2006-09-07	19.498 mi
Registration #3	2007-09-13	23.383 mi
Registration #4	2008-09-09	29.158 mi
Registration #5	2009-09-17	34.439 mi
Registration #6	2010-10-15	39.744 mi
Registration #7	2011-12-23	46.236 mi
Registration #8	2013-01-04	52.994 mi
Registration #9	2014-03-25	60.115 mi
Registration #10	2015-03-23	69.601 mi
Registration #11	2016-03-23	79.087 mi
Registration #12	2017-03-23	88.573 mi
Registration #13	2018-03-23	98.059 mi
Registration #14	2019-03-23	107.545 mi
Registration #15	2020-03-23	117.031 mi
Registration #16	2021-03-23	126.517 mi
Registration #17	2022-03-23	136.003 mi
Registration #18	2023-03-23	145.489 mi
Registration #19	2024-03-23	154.975 mi

More info >



Car features

The FORD factory car options list is only available in the premium report.

S0225	Air conditioning
S0295	
S0482	
S0501	
S0566	
S0567	
S0569	

View the complete FORD factory list for this vehicle [here](#).

More info >

Safety ratings

NCAP rating



Video [see crash video](#)



Additional information

Fuel tank capacity	55 l
Fuel delivery	Indirect Injection
Number of doors	3
Engine number	YA52341