





General information

Make	VOLVO
Model	XC90 D5 EXECUTIVE
Colour	Green
Year of manufacture	-
Top speed	115 mph
0 - 60 mph	12.3 seconds
Gearbox	5 speed automatic

Engine & fuel consumption

Power	163 BHP
Max. torque	340 Nm at 3.000 rpm
Cylinders	5
Fuel type	Diesel
Consumption city	23.7 mpg
Consumption extra urban	37.7 mpg
Consumption combined	31.0 mpg





Internet history

Entry 1

Date

2021-05-23

7

Pictures

Listing price

View report



source: autotrader.co.uk



MOT history

МОТ #25	2022-10-21 10:46
MOT test number	117593651392
Result	✓ Passed
Next expiry date	2023-10-20
Advice Front Brake pad(s) wearing thin (1.1.13 (a) (ii))	
Advice Offside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))	
Advice Front Registration plate deteriorated but not likely to be misread (0.1 (b))	

MOT #24	2022-10-20 11:16
MOT test number	961707500667
Result	🗙 Failed
Fail Nearside Front Position lamp not working (4.2.1 (a) (ii))	
Fail Rear Brake pad(s) less than 1.5 mm thick (1.1.13 (a) (ii))	
Fail Nearside Front Lower Suspension arm ball joint excessively worn (5.3.4 (a) (i))	
Advice Front Registration plate deteriorated but not likely to be misread (0.1 (b))	
Advice Front Brake pad(s) wearing thin (1.1.13 (a) (ii))	
Minor Offside Rear Registration plate lamp inoperative in the case of multiple lamps (4.7.1 (b) (i))	or light sources
Fail Offside Front Position lamp not working (4.2.1 (a) (ii))	
Advice Offside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))	
Fail Nearside Rear Road wheel fixing missing (5.2.1 (a) (i))	

MOT #23		2021-10-20 17:13
MOT test	number	188619906077
Result		✓ Passed
Advice (i))	Front Suspension arm pin or bush worn but not resulting in excessive move	ement both (5.3.4 (a)
Advice	Play in steering rack inner joint(s)	





MOT #22	2020-10-21 12:06
MOT test	number 369265483648
Result	✓ Passed
Minor (i))	Offside Registration plate lamp inoperative in the case of multiple lamps or light sources (4.7.1 (b)
Advice	Play in steering rack inner joint(s)
Advice	Offside Front Lower suspension arm slight movement in rear bushes
Advice	Nearside Front Lower arm slight movement in rear bush
Advice	Nearside Headlamp has a product on the lens but not seriously reducing light output (4.1.4 (b))
Advice	Bonnet gas struts weak

MOT #21	2020-10-21 12:06
MOT test number	843852005728
Result	🗙 Failed
Advice Nearside Front Lower arm slight movement in rear bush	
Advice Bonnet gas struts weak	
Pass with rectification Offside Headlamp aim too low (4.1.2 (a))	
(i)) Offside Registration plate lamp inoperative in the case of multiple lamps or	light sources (4.7.1 (b)
Advice Offside Front Lower suspension arm slight movement in rear bushes	
Advice Play in steering rack inner joint(s)	
Advice Nearside Headlamp has a product on the lens but not seriously reducing li	ght output (4.1.4 (b))





MOT #20	2019-10-18 08:56
MOT test number	855810158711
Result	✓ Passed
Minor Offside Registration plate lamp inoperative in the case of multiple lamps or li (i))	ght sources (4.7.1 (b)
Advice Parking brake efficiency only just met. It would appear that the braking syst adjustment or repair. (1.4.2 (a) (i))	em requires
Advice Brake hose slightly deteriorated all hoses perishing,on limit (1.1.12 (b) (ii))	
MOT #19	2019-10-17 09:25
MOT test number	868562628696
Result	
	L Failed
Nesure	🗙 Failed
Fail Offside Front Tyre tread depth below requirements of 1.6mm (5.2.3 (e))	× Failed
FailOffside Front Tyre tread depth below requirements of 1.6mm (5.2.3 (e))AdviceParking brake efficiency only just met. It would appear that the braking syst	
Fail Offside Front Tyre tread depth below requirements of 1.6mm (5.2.3 (e)) Advice Parking brake efficiency only just met. It would appear that the braking syst adjustment or repair. (1.4.2 (a) (i))	em requires
 Fail Offside Front Tyre tread depth below requirements of 1.6mm (5.2.3 (e)) Advice Parking brake efficiency only just met. It would appear that the braking syst adjustment or repair. (1.4.2 (a) (i)) Fail Supplementary restraint system warning lamp indicates a fault (7.1.6 (a)) 	em requires
 Fail Offside Front Tyre tread depth below requirements of 1.6mm (5.2.3 (e)) Advice Parking brake efficiency only just met. It would appear that the braking system adjustment or repair. (1.4.2 (a) (i)) Fail Supplementary restraint system warning lamp indicates a fault (7.1.6 (a)) Fail Nearside Front Suspension arm ball joint likely to become detached (5.3.4 (a) (in Minor Offside Registration plate lamp inoperative in the case of multiple lamps or limitation of the case of multiple lamps or limitation. 	em requires

MOT #18	2018-10-15 14:29
MOT test number	392676474378
Result	✓ Passed
Advice Oil leak, but not excessive (8.4.1 (a) (i))	
Advice Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.	.14 (a) (ii))
Minor Offside Registration plate lamp inoperative in the case of multiple lamps of (i))	or light sources (4.7.1 (b)





MOT #17	2018-10-13 11:45
MOT test number	158736935267
Result	🗙 Failed
Fail Offside Front Anti-roll bar ball joint dust cover no longer prevents the ingress of dirt	t (5.3.4 (b) (ii))
Advice Oil leak, but not excessive (8.4.1 (a) (i))	
Advice Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a)	(ii))
Minor Offside Registration plate lamp inoperative in the case of multiple lamps or light (i))	sources (4.7.1 (b)
Fail Nearside Front Anti-roll bar ball joint dust cover no longer prevents the ingress of d	irt (5.3.4 (b) (ii))
Fail Offside Front Wheel bearing has excessive play (5.1.3 (a) (i))	

MOT #16		2017-10-10 15:56
MOT test	number	620022030753
Result		✓ Passed
Advice	Play in steering rack inner joint(s)	
Advice	Rear Brake hose slightly deteriorated both (3.6.B.4d)	



MOT #15	2017-09-18 12:58
MOT test number	654208051456
Result	🗙 Failed
Advice Nearside Front coil spring corroded (2.4.C.1b)	
Advice Nearside Rear coil spring corroded (2.4.C.1b)	
Advice Play in steering rack inner joint(s)	
FailParking brake lever has no reserve travel (3.1.6b)	
FailNearside Front Front position lamp(s) not working (1.1.A.3b)	
Advice Offside Front coil spring corroded (2.4.C.1b)	
Advice Offside Rear coil spring corroded (2.4.C.1b)	
Fail Offside Front Lower Suspension arm has excessive play in a ball joint (2.4.G.2)	
Fail Parking brake: efficiency below requirements (3.7.C.1b)	

MOT #14		2016-09-07 12:49
MOT test	number	810214596138
Result		✓ Passed
Advice	Child Seat fitted not allowing full inspection of adult belt	
Advice	Nearside Front Suspension arm has slight play in a pin/bush front bush (2.4.G.2)	
Advice	Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)	
Advice	Offside Front Anti-roll bar linkage has slight play in a ball joint (2.4.G.2)	
Advice	Offside Front Suspension arm has slight play in a pin/bush front bush (2.4.G.2)	
Advice	Play in steering rack inner joint(s)	

DS04GKN

report date: 2024-03-28



DSO4GKN report date: 2024-03-28

MOT #13	2016-09-05 15:40
MOT test number	695240653114
Result	🗙 Failed
Advice Offside Front Anti-roll bar linkage has slight play in a ball joint (2.4.G.2)	
Advice Offside Front Suspension arm has slight play in a pin/bush front bush (2.4.G.2)	
Advice Play in steering rack inner joint(s)	
Fail Nearside Rear Rear wheel bearing rough when rotated (2.6.1)	
Advice Child Seat fitted not allowing full inspection of adult belt	
Advice Nearside Front Suspension arm has slight play in a pin/bush front bush (2.4.G.2	2)
Advice Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)	
Fail Exhaust system not adequately supported (7.1.1)	

MOT #12	2015-08-20 14:21
MOT test number	185597218318
Result	✓ Passed

MOT #11	2015-08-20 13:53
MOT test number	456287480916
Result	🗙 Failed
Fail Parking brake: efficiency below requirements (3.7.C.1b)	

MOT #10	2014-06-05 10:23
MOT test number	416916854130
Result	✓ Passed
Advice Offside Front Tyre worn close to the legal limit (4.1.E.1)	



DSO4GKN report date: 2024-03-28

MOT #9		2013-05-23 12:58
MOT test I	number	248473743440
Result		✓ Passed
Advice	Nearside Front Brake hose slightly deteriorated (3.6.B.4d)	
Advice	Nearside Front Tie bar/rod has slight play in a ball joint (2.4.G.2)	
Advice	Nearside Front Tyre worn close to the legal limit (4.1.E.1)	
Advice	Offside Front Tie bar/rod has slight play in a ball joint (2.4.G.2)	

MOT #8	2012-05-22 15:18
MOT test number	825713542108
Result	✓ Passed

MOT #7	2012-05-22 11:57
MOT test number	277023942192
Result	× Failed
Fail Nearside Front Track rod end ball joint has excessive play (2.2.B.1f)	
Fail Nearside Registration plate lamp not working (1.1.C.1d)	
Advice Offside Front Suspension arm rubber bush deteriorated but not resulting in (2.4.G.2)	excessive movement

MOT #6	2011-06-15 11:20
MOT test number	437116761118
Result	✓ Passed
Notice Two rearmost seats not in use	

MOT #5	2010-06-18 17:24
MOT test number	612429160144
Result	✓ Passed
Advice Offside Front Tyre worn close to the legal limit (4.1.E.1)	



DS04GKN
report date: 2024-03-28

MOT #4	2010-06-18 15:14
MOT test number	513029060198
Result	🗙 Failed
Advice Offside Front Tyre worn close to the legal limit (4.1.E.1)	
Fail Nearside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)	
MOT #3	2009-06-17 16:29
MOT test number	561768969135
Result	✓ Passed
MOT #2	2008-06-28 11:41
MOT test number	480350188104
Result	✓ Passed
Notice Child seat fitted not allowing full inspection of adult belt	

MOT #1	2007-06-28 16:25
MOT test number	272639377190
Result	✓ Passed





Damage history

Check the damage history for this VOLVO. See if, where and when this VOLVO had damage and the car repair costs. We also check if this VOLVO was scrapped. Download the premium report <u>here</u> for the results.

Damage 1	
Date	
Category	 Anne
Туре	
Damage 2	AMPLE
Damage 2	E CUT
Date	 ¥
Category	 AMP
Туре	

Extra VOLVO salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.





Vehicle valuation

What is this car worth? See the vehicle value of this VOLVO in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	4 10.000
Auction value	4 10.000
Average private trade value	4 10.200





Owner history

For how long did the current and previous owner(s) have this VOLVO? How many owners did this VOLVO have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

xxxxxxxx	

	More info >
Plate changes	
See in this check if this VOLVO had different number plates.	
Number of plates	,
Current registration	
Plate since	
Current registration	
Plate since	
	More info >





Finance check

Check if this VOLVO is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this VOLVO has been settled.

If not, and you buy this VOLVO then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this VOLVO is financed.


Finance company	
Date of agreement	
Agreement type	
Agreement term	
Agreement number	
Contact info	



DSO4GKN report date: 2024-03-28

Mileage check

Odometer	In miles
Mileage registrations	27
First mileage registration	2004-07-23
Last registration	2022-10-21
Complete history	See info



Registration #1	2004-07-23	27 mi
Registration #2	2007-06-28	43.221 mi
Registration #3	2008-06-28	53.995 mi
Registration #4	2009-06-17	59.514 mi
Registration #5	2010-06-18	65.397 mi
Registration #6	2010-06-18	65.397 mi
Registration #7	2011-06-15	70.218 mi
Registration #8	2012-05-22	73.633 mi
Registration #9	2012-05-22	73.636 mi
Registration #10	2013-05-23	81.697 mi
Registration #11	2014-06-05	86.378 mi
Registration #12	2015-08-20	97.074 mi
Registration #13	2015-08-20	97.075 mi
Registration #14	2016-09-05	110.141 mi
Registration #15		11.777 est
Registration #15 Registration #16		11.227 est
-		01,000 est 01,000 est 01,000 est
Registration #16		01,000 e6 01,000 e6 01,000 e6 01,000 e6
Registration #16 Registration #17		01,000 est 01,000 est 01,000 est 01,000 est 01,000 est
Registration #16 Registration #17 Registration #18		00,000 46 0,000 46 0,000 46 0,000 46 0,000 46 0,000 46 0,000 46
Registration #16 Registration #17 Registration #18 Registration #19		01,000 46 01,000 46 01,000 46 01,000 46 01,000 46 01,000 46 01,000 46
Registration #16 Registration #17 Registration #18 Registration #19 Registration #20		00,000 46 0,000 46 0,000 46 0,000 46 0,000 46 0,000 46 0,000 46 0,000 46
Registration #16 Registration #17 Registration #18 Registration #19 Registration #20 Registration #21		00.000 46 0.000 46 0.000 46 0.000 46 0.000 46 0.000 46 0.000 46 0.000 46 0.000 46
Registration #16 Registration #17 Registration #18 Registration #19 Registration #20 Registration #21 Registration #22		00,000 46 0,000 46 0,000 46 0,000 46 0,000 46 0,000 46 0,000 46 0,000 46 0,000 46 0,000 46
Registration #16 Registration #17 Registration #18 Registration #19 Registration #20 Registration #21 Registration #22 Registration #23		10, 2029 446 0, 2029 446
Registration #16 Registration #17 Registration #18 Registration #19 Registration #20 Registration #21 Registration #22 Registration #23 Registration #24		10,000 46 0,000 46 0,





Car features

S0225	Air conditioning
\$0295	
S0482	
S0501	
\$0566	
S0567	
S0569	

Safety ratings

NCAP rating

Video

see crash video



Dimensions & weight	
Width	1898 mm
Height	1784 mm
Length	4798 mm
Wheel base	2859 mm
Kerb weight	2108 kg
Max. allowed weight	2735 kg
Additional information	
Fuel tank capacity	72
Fuel delivery	Direct Injection
Number of doors	5
Number of seats CarCheck.co.uk	7 page 16/16