



R845AOR

report date: 2024-03-29

General information

Make	JAGUAR
Model	XK8 XJR SUPERCHARGED
Colour	Silver
Year of manufacture	1997
Top speed	155 mph
0 - 60 mph	5.3 seconds
Gearbox	5 speed automatic

Engine & fuel consumption

Power	370 BHP
Max. torque	525 Nm at 3.600 rpm
Engine capacity	3.996 cc
Cylinders	8
Fuel type	Petrol
Consumption city	15.3 mpg
Consumption extra urban	28.3 mpg
Consumption combined	21.6 mpg





Internet history

Entry 2

Date	2021-09-17
Pictures	13
Listing price	View report



source: cargurus.co.uk

Entry 1

Date	2021-09-16
Pictures	0
Listing price	View report

source: autotrader.co.uk



MOT history

MOT expiry date	2024-10-04
MOT pass rate	81 %
MOT passed	17
Failed MOT tests	4
Total advice items	89
Total items failed	10

MOT #21	2023-10-05 13:13
MOT test number	836085456320
Result	✓ Passed
Next expiry date	2024-10-04

MOT #20	2022-09-19 10:14
MOT test number	880270217414
Result	✓ Passed
Advice	Offside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))
Minor	Nearside Registration plate lamp inoperative in the case of multiple lamps or light sources (4.7.1 (b) (i))
Advice	Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))

MOT #19	2022-09-19 10:14
MOT test number	579019567221
Result	✗ Failed
Pass with rectification	Rear fog lamp tell-tale not working (4.9.1 (a) (ii))
Advice	Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))
Minor	Nearside Registration plate lamp inoperative in the case of multiple lamps or light sources (4.7.1 (b) (i))
Advice	Offside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))

**MOT #18**

2021-10-05 12:43

MOT test number

184436236807

Result

✓ Passed

Advice Nearside Rear Coil spring corroded (5.3.1 (b) (i))**Advice** Offside Rear Wheel bearing has slight play (5.1.3 (a) (i))**Advice** Offside Rear Coil spring corroded (5.3.1 (b) (i))**MOT #17**

2020-06-17 10:49

MOT test number

551815592579

Result

✓ Passed

Advice Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))**Advice** Nearside Suspension component mounting prescribed area is corroded but not considered excessive outer sill (5.3.6 (a) (i))**Advice** Offside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))**Advice** Rear Vehicle structure is corroded but structural rigidity is not significantly reduced (6.1.1 (c) (i))

**MOT #16**

2019-07-17 09:30

MOT test number

167079593195

Result

✓ Passed

- Advice** Offside Front Coil spring corroded (5.3.1 (b) (i))
- Advice** Nearside Front Inner Tyre worn close to legal limit/worn on edge (5.2.3 (e))
- Advice** Nearside Rear Wheel bearing has slight play (5.1.3 (a) (i))
- Advice** Offside Rear Coil spring corroded (5.3.1 (b) (i))
- Advice** Offside Front Shock absorbers has a slightly worn bush (5.3.2 (c))
- Advice** Offside Front Lower Shock absorbers has a slightly worn bush (5.3.2 (c))
- Advice** Offside Front Direction indicator slightly discoloured (4.4.3 (a))
- Advice** Offside Rear Brake hose has slight corrosion to ferrule (1.1.12 (f) (i))
- Advice** Nearside Front Coil spring corroded (5.3.1 (b) (i))
- Advice** Offside Rear Inner Suspension component mounting prescribed area is corroded but not considered excessive body sill (5.3.6 (a) (i))
- Advice** Nearside Rear Coil spring corroded (5.3.1 (b) (i))
- Advice** Nearside Front Shock absorbers has a slightly worn bush (5.3.2 (c))
- Advice** Offside Front Inner Tyre worn close to legal limit/worn on edge (5.2.3 (e))
- Advice** Offside Rear Wheel bearing has slight play (5.1.3 (a) (i))
- Advice** Offside Front Lower Suspension arm ball joint has slight play (5.3.4 (a) (i))
- Advice** Nearside Front Lower Shock absorbers has a slightly worn bush (5.3.2 (c))
- Advice** Nearside Front Direction indicator slightly discoloured (4.4.3 (a))
- Advice** Nearside Rear Brake hose has slight corrosion to ferrule (1.1.12 (f) (i))
- Advice** Nearside Direction indicator slightly discoloured (4.4.3 (a))
- Advice** Nearside Rear Inner Suspension component mounting prescribed area is corroded but not considered excessive body sill (5.3.6 (a) (i))

**MOT #15**

2019-06-28 16:49

MOT test number

966370345056

Result**✗ Failed**

- Advice** Nearside Front Coil spring corroded (5.3.1 (b) (i))
- Fail** Exhaust hydrocarbon content after 2nd fast idle exceeds default limits (8.2.1.2 (b))
- Advice** Nearside Rear Coil spring corroded (5.3.1 (b) (i))
- Fail** Exhaust Lambda reading after 2nd fast idle outside specified limits (8.2.1.2 (c))
- Advice** Nearside Rear Shock absorbers has a slightly worn bush (5.3.2 (c))
- Minor** Offside Registration plate lamp inoperative in the case of multiple lamps or light sources lens also missing (4.7.1 (b) (i))
- Fail** Nearside Rear Direction indicator incorrect colour (4.4.3 (a))
- Advice** Offside Front Brake hose has slight corrosion to ferrule (1.1.12 (f) (i))
- Advice** Nearside Front tyre worn inner edge
- Fail** Offside Front Direction indicator incorrect colour (4.4.3 (a))
- Advice** Offside Rear Drive shaft joint worn, but not excessively in and out movement in wheel (6.1.7 (c) (i))
- Advice** Offside Front suspension arms corroded upper and lower
- Advice** Offside Front Coil spring corroded (5.3.1 (b) (i))
- Fail** Exhaust carbon monoxide content after 2nd fast idle exceeds default limits (8.2.1.2 (b))
- Advice** Offside Rear Coil spring corroded (5.3.1 (b) (i))
- Advice** Offside Rear Shock absorbers has a slightly worn bush (5.3.2 (c))
- Fail** Nearside Front Direction indicator incorrect colour (4.4.3 (a))
- Advice** Nearside Rear Drive shaft joint worn, but not excessively in and out movement in wheel (6.1.7 (c) (i))
- Advice** Offside Front shocker corroded

**MOT #14**

2018-06-12 09:48

MOT test number

915534572849

Result

✓ Passed

Advice

Front both front shocker lower bushes worn

MOT #13

2017-04-18 07:58

MOT test number

467574625990

Result

✓ Passed

Advice

Nearside Front Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)

Advice

Nearside Rear Tyre worn close to the legal limit (4.1.E.1)

Advice

Steering rack damp

Advice

Offside Front Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)

Advice

Offside Rear Tyre worn close to the legal limit (4.1.E.1)

MOT #12

2016-04-28 12:36

MOT test number

974760736553

Result

✓ Passed

Advice

Offside Front Lower Suspension arm has slight play in a ball joint (2.4.G.2)

Advice

Offside Rear Tyre worn close to the legal limit (4.1.E.1)

Advice

Offside Front Brake pad(s) wearing thin (3.5.1g)

Advice

Nearside Rear Tyre worn close to the legal limit (4.1.E.1)

MOT #11

2015-03-17 09:04

MOT test number

755776375060

Result

✓ Passed



MOT #10

2014-03-11 16:25

MOT test number

916350574024

Result

✓ Passed

- Advice

Front Tyre worn close to the legal limit (4.1.E.1)
- Advice

Nearside Outer Rear Drive shaft uj which forms part of the suspension has slight play in a universal joint (2.4.G.4b)
- Advice

Front Direction indicators slightly discoloured (1.4.A.2f)
- Notice

Engine covers fitted obscuring some components in the engine bay
- Advice

Nearside Front suspension has slight play in a lower suspension ball joint (2.5.B.1a)
- Advice

Offside Rear Subframe mounting prescribed area is corroded but not considered excessive (2.4.A.3)
- Advice

Offside Inner Front Tyre worn close to the legal limit (4.1.E.1)
- Notice

Under-trays fitted obscuring some underside components
- Advice

Offside Outer Rear Drive shaft uj which forms part of the suspension has slight play in a universal joint (2.4.G.4b)
- Advice

Rear Direction indicators slightly discoloured (1.4.A.2f)
- Advice

Nearside Rear Subframe mounting prescribed area is corroded but not considered excessive (2.4.A.3)

**MOT #9**

2014-03-07 14:56

MOT test number

979486264036

Result**✗ Failed****Advice**

Offside Rear Subframe mounting prescribed area is corroded but not considered excessive (2.4.A.3)

Advice

Offside Inner Front Tyre worn close to the legal limit (4.1.E.1)

Fail

Offside Front wheel bearing rough when rotated (2.5.A.2)

Advice

Offside Outer Rear Drive shaft uj which forms part of the suspension has slight play in a universal joint (2.4.G.4b)

Notice

Engine covers fitted obscuring some components in the engine bay

Advice

Rear Direction indicators slightly discoloured (1.4.A.2f)

Advice

Nearside Rear Subframe mounting prescribed area is corroded but not considered excessive (2.4.A.3)

Advice

Front Tyre worn close to the legal limit (4.1.E.1)

Advice

Nearside Outer Rear Drive shaft uj which forms part of the suspension has slight play in a universal joint (2.4.G.4b)

Notice

Under-trays fitted obscuring some underside components

Advice

Front Direction indicators slightly discoloured (1.4.A.2f)

Advice

Nearside Front suspension has slight play in a lower suspension ball joint (2.5.B.1a)

MOT #8

2013-03-15 12:31

MOT test number

609634073097

Result**✓ Passed****Notice**

N/S/F & O/S/F suspension top fulcrum bushes worn/poor condition

**MOT #7** 2013-03-13 12:55**MOT test number** 716062073073**Result** ✗ Failed**Fail** Offside Front front brake binding (3.7.B.1)**Notice** N/S/F & O/S/F suspension top fulcrum bushes worn/poor condition**Fail** Parking brake lever has no reserve travel (3.1.6b)**MOT #6** 2012-03-20 11:12**MOT test number** 567070682009**Result** ✓ Passed**MOT #5** 2011-03-22 09:29**MOT test number** 587651681056**Result** ✓ Passed**MOT #4** 2010-03-09 11:41**MOT test number** 661328760016**Result** ✓ Passed**Notice** Oil leak**MOT #3** 2008-12-18 10:08**MOT test number** 450093658435**Result** ✓ Passed**Advice** Offside Front Lower Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)**Notice** Corrosion to outer edges of both front brake discs**Advice** Offside Rear Direction indicator slightly discoloured (1.4.A.2f)**Advice** Nearside Front Lower Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)**Advice** Nearside Rear Direction indicator slightly discoloured (1.4.A.2f)



MOT #2	2007-12-13 12:03
MOT test number	262447747355
Result	✓ Passed
Advice	Nearside Rear Tyre worn close to the legal limit (4.1.E.1)
Advice	Offside Front Tyre worn close to the legal limit (4.1.E.1)
Advice	Offside Rear Tyre worn close to the legal limit (4.1.E.1)

MOT #1	2006-12-04 15:44
MOT test number	894418536394
Result	✓ Passed



Tax & MOT check

✓
Taxed
Tax due:
1 October 2024

✓
MOT
Expires:
4 October 2024

Tax status		Valid until 1 October
Days left		154
MOT expiry date		4 October 2024
Full MOT history		See MOT history



Damage history

Check the damage history for this JAGUAR. See if, where and when this JAGUAR had damage and the car repair costs. We also check if this JAGUAR was scrapped. Download the premium report [here](#) for the results.

Damage 1

Date	
Category	
Type	

Damage 2

Date	
Category	
Type	



Extra JAGUAR salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

More info >



Owner history

For how long did the current and previous owner(s) have this JAGUAR? How many owners did this JAGUAR have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration

More info >

Plate changes

See in this check if this JAGUAR had different number plates.

Number of plates	1
Current registration	R845AOR
Plate since	2024-03-29
Current registration	R845AOR
Plate since	2024-03-29

More info >



Finance check

Check if this JAGUAR is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this JAGUAR has been settled. If not, and you buy this JAGUAR then you could lose the money and the car you paid for. Download the premium report [here](#) and check if this JAGUAR is financed.

Finance company	XXXXXXXX	XXXX
Date of agreement	XXXXXXXX	XXXX
Agreement type	XXXXXXXX	XXXX
Agreement term	XXXXXXXX	XXXX
Agreement number	XXXXXXXX	XXXX
Contact info	XXXXXXXX	XXXX

More info >



Mileage check

Odometer	In miles
Mileage registrations	24
First mileage registration	1997-12-10
Last registration	2023-10-05
Complete history	See info



Registration #1	1997-12-10	29 mi
Registration #2	2006-12-04	23.651 mi
Registration #3	2007-12-13	26.205 mi
Registration #4	2008-12-18	28.702 mi
Registration #5	2010-03-09	31.087 mi
Registration #6	2011-03-22	32.416 mi
Registration #7	2012-03-20	33.015 mi
Registration #8	2013-03-13	35.161 mi
Registration #9	2013-03-15	35.166 mi
Registration #10	2014-03-07	40.664 mi
Registration #11	2014-03-11	40.833 mi
Registration #12	2015-03-17	45.264 mi
Registration #13	2016-03-20	50.702 mi
Registration #14	2017-03-20	56.140 mi
Registration #15	2018-03-20	61.578 mi
Registration #16	2019-03-20	67.016 mi
Registration #17	2020-03-20	72.454 mi
Registration #18	2021-03-20	77.892 mi
Registration #19	2022-03-20	83.330 mi
Registration #20	2023-03-20	88.768 mi
Registration #21	2024-03-20	94.206 mi
Registration #22	2025-03-20	99.644 mi
Registration #23	2026-03-20	105.082 mi
Registration #24	2027-03-20	110.520 mi

More info >



Dimensions & weight

Width	1799 mm
Height	1333 mm
Length	5149 mm
Max. allowed weight	2110 kg

Additional information

Fuel tank capacity	81 l
Fuel delivery	Multi-Point Injection
Number of doors	4
Number of axles	2
Engine number	DC9711092231